RG-DBS η

΄Υ V1.0

©2000-2010

⋕

´Y RG-DBS ŋ

ˮ ↓ 2

2

2

1

r 5ˆ r

Terminal Display Terminal Display Courier New r 8.5

ǂ Ḥ ǂ Ḥ ˜ Ḥ ∀ r

2 ᴘ

ᴘ ض ƀ ≠ ض

ᵽ ˥ ƀ

ƀ

ƀ ṗ

ů Ḥ

ů	
ů	

ḱ

	ʌ ˊ	ḱ ˊ	ˊ	ḱ ṗ	ḱ
2011-3-25	V1.0	V1.20			

‰ 1
1.1 1
1.2 1
1.3 DBS 1
1.4 DBS 2
1.5 5
1 5
1.7 DBS 5
..... 7
2.1 DBS 7
BIOS .....

ą ‰

ṗ Ꞁ ᵛ Ạ ‰ ƀ

	13A ضر ‰ 100 120VAC/6.5A 200 240VAC DBS ضر
	ضي W`E ƀ ↓ Ɗρ
كل غ شي	DBS كل غ شي W W غ Ü ا غ كج
Ḡ غ	DBS ضا ـا Ḡ غ Ḡ DBS ـا مخ
ᴸ Ḃ ḱ غ ®	Ḡ ₹ Ḃ ḱ DBS Ḥ Ḃ DBS ® AC غج ضي ḱ غ ج ا ╟ ŋ ® DC DBS ® DBS

	AC

ضي

‰ 1U 2U ≠ ⎧ 19” ‰

DBS-1000

1.ضي DBS-1000

2. ضي A ضي ρ ᵕ يح :



1. ⎧ ↥

2. ╟ ╟ ᵕ ४ ھ



DBS-2000

1. ضي ´ ◖ ṗ ˘ ع ˘
2. ṗ ˘ ا ṗ ₹ ضي ˘ (ṗ ˘ ضي
   ˘ ˘ ضي ˘)
3. ṗ ˘ غ ˘ ﻻ نه
4. نه ˘ ضي 'P ɜ ˘ ضي ˆا



1. U نهـ ╠ ضي ن

2. 'P U نهـ ضي ن

3. ₹ ن ∫ أ r غ ◖ غ ن ...

4. ▯ ɜ ن ∫

5. ~ ن ∩ " ٥ " ذ U Ḃ ≠ ~

~ غ ~ ضي ~

Z

6. ₹ ⁻ ⁻ ن ا ⁻ ₹



ˡ AC DBS ą ضر ‰ ↕ ą ⋯

⋯ ضي ضي ‰ ۷ ~ ρ ۏ DBS

DBS-2000

╟ ⇔

L ⇔



A ⇔ C

G USB ο

DBS-2000

ṗ	4GB DDR3 ECC REG*2
	500G SATA *3 (⇔ RAID 5 U ˪ 1TB)
‰ ο	2 ⅄ ώ RJ45 ο 1 CLI ο 1 MGT ο 4 ⅄ ώ RJ45 ο η ο 2 ⅄ ώ ώ ο η ο
ⁿ (W ×H ×D)	430mm ×87mm ×650mm
⅄	220V 47 63 Hz
ⅿ	510W
ƀ	5 35

BIOS ĭ CMOS ~ ₹ Ω ≠ ă
ǵ ă BIOS ǵ Ω ذ ă U
‖ غج BIOS DBS
ą ₹ ٨ ٧ ĭ BIOS

ضي POST كج ṗ ǵ ĭ
ضي ṗ POST ṗ
1 ǵ كج POST
2 ج LOGO ضي
Press <F2> to enter SETUP
< F2 > BIOS

ث

<Enter>	ث ~ ~ ٧ ↓ ٧ ǵ ~ ٧ ↓ ₹ Ṛ غج ضي ↓ ₹ ٣ ٨
<ESC>	₹ <ESC> ضي ٧ ٥ ₹ L ŭ غج ضي ضي ٧ ضي ٨ <ESC> ~ ضي ٧ ٨ <ESC> ₹ / ٥ ٦

<F10>	Setup Confirmation Save Configuration changes and exit now? [Yes] [No] “Yes” BIOS “No” <F10>

BIOS

Main	
Advanced	
Security	
Server Management	
Boot Options	
Boot Manager	
Error Manger	
Exit	/

Main

BIOS

Advanced ۱

۱ ۱ ρ ۷ ۱

Memory Configuration	
System Memory/Extended Memory/ DIMM Group 1~8 Status	ρ
Memory Reset	ρ
Extend RAM Step	٦"Ḥ POST ρ

Memory Branch Mode

FAN Monitor	
Boot -time Diagnostic	˩
Reset Configuration Data	ϒ Ḥ
NumLock	NumLock
Multiprocessor Specification	MPS Ḡ ṿ

Security ϒ

΄E **Exit** ϒ

˜ ₹



Ạ RAID New configuration. U Ạ RAID



˙ RAID Δ . U Ḡ Ạ ₹ ˬ˜

DBS-1000 ᵖ



ᵕ №≠ ᵕ ƀ NIC2 NIC1

ᵕ ᵕ ΄P ᵕ

ضي v ’ Ω˜ ą ضي

ᵀ

ƀ ƀ

NIC1 LAN0ᵕ ᵒ ᵀ ᵒ

NIC2 LAN1ᵕ ᵒ ᵀ ᵒ

4 ᵒ ᵒ GE0 GE1 ضي ᵒ

ᵒ





A

B USB ο

C CLI DB9ο ą ą ο PC

D CLIο Ḥ ο

E MGTο ṗ ą

F G ο GE0 GE1 ´ ο ˜ ą ο ν

ą

H I ∧ ο 4 GEο غ 2 SFPο ضي 2U ο ƀ

ο ´

˝E ο ˜

˝E ο ˜ ο GE0 ⌠ ˝E ο

˝E ο ΄Ί ι ∧ غ ˜ ΄Ί ι ą̈ ∧ غ ˜

΄Y



´O φ DBS-2000 ᴅ



ᴝ 2U ´O φ

~ 220V ᵛ ~ ˡ

ᵃ ᴸ ˜ ₹ ᴝ

ǐ ǐ _W

POST U Ũ ʅ ضي U

ضر

لإ

- ǎ ضر ʅ ـ كح ـ ʅ ـ

ǐ r

لإ

- ʅ ʅ ∫ Ḡ Ḡ كح ʅ شخ
- ƀ ʅ ˜ ╟ ∫ ʅ ـ
- ʅ ǐ “ ، ا ـ ” ↓ لإ

↑ يد 2 ضي ш

ƀ كح ˜كح ƀ

↑ يد 2

Ḡ 2 ‰ ∞ Ḃ ∫ ضي ╟ POST

ǔ ₹

-
-
-
-
-
-
-
-

O			
			DBS
			CPU POST
			CPU POST

			٦