



RG-S2000

.....	5
.....	7
.....	9
.....	16
.....	21
.....	25



A —		27
4		
4		
B — MINI-GBIC		29
4		



V1.03

Ш

Ш

Ш

Ч

Ч

Ш

Ш

Ш

Ш

Ч

Ш

Ш

Ш

Ш

—

<http://www.ruijie.com.cn>

CD-ROM

CD-ROM

CD-ROM

Ш

CD-ROM

Ш

Ш

Ш

Ш

Ч

Ш

Ш

—



山

山

山

山




4

4 4 4 4 4 4

x

	4	
	100Base-FX MMF() 100Base-FX-S SMF()	
× H × L) (W	×	×
	×	×
	4	

2.1



x x x x








Ш

山

山



				1)	
				2)	
		山			



		山				
	1000Mbps LED					
	100Mbps LED					



			山			





山

山

山

~ 注意

山

山

山

i 警告

山

ψ



ч

ш

ч

ш

ш

ш

ч

~ 注意

ч

ч

ш

ч

ш

3.6.4

ш

ш

ш

μ				

ч

ч

ш

ш

ч

ч

ч

ш






山

山

~ 注意:



山


山

山

Ш

RG-S2026G/S2026F/S2052G

4.3.1



4.3.2


19

RG-S2026G/S2026F/S2052G

EIA

19


Ш



4.3.3

RG-S2026G/S2026F/S2052G

Ш



4.3.4

19

：

山

山

~ 注意

4

4

山

10

山

山

山

山

4

4



山



山

山

山

山

山

RG-S20

i 警告

⚠

i 警告

⚠

~ 注意

⚠

⚠



г д

г д

ШPower

Ш

г д

Ш

г д

э

ю

Ш

Ш

г д

Ш

г д

Ш

э

ю


Ш

Ш



A —

4 1000BASE-T/100BASE-TX/10BASE-T





B ——Mini-GBIC