

RG-

©2010



Ruijie



锐捷®

RG-EG

RG-EG 10.3 4T90

2012-4-10	V1.0	



/	

	6
WEB	7
WEB	7
	7
	7
	8
	9
WEB	10
EG	WEB	10



CRTL	23
console	23
.....	23
startftp	24
.....	24
ctrl	28
.....	33

WEB

WEB



> " " flash



WEB

EG

WEB

MGMT

IP

IP


MGMT

IP


EG

rgos.bin

startftp.exe TFTP



startftp



?

windows

startftp

telnet/console

EG


>

EG

ip

192.168.1.1


copy tftp://192.168.1.10/rgos.bin flash:rgos.bin 192.168.1.10 IP




WR

```
is 2 seconds:
- 1/1/1 ms
Ruijie#ping 192.168.1.10
Sending 5, 100-byte ICMP Echoes to 192.168.1.10, timeout
< press Ctrl+C to break >
!!!!
Success rate is 100 percent (5/5), round-trip min/avg/ma
Ruijie#copy tftp://192.168.1.10/rgos.bin flash:rgos.bin
Accessing tftp://192.168.1.10/rgos.bin...
Check file success.
PROGRAM VERSION: RGOS 10.3.*, Release(122172)
The Master CM main program OK.
PRODUCT INFORMATION :
UNIT ID: 0x10110010
UNIT DESCRIPTION: Ruijie EASY GATEWAY(EG1000S) by Ruijie Networks.
S: UPGRADING OK.
for
Building configuration...
[OK]
Ruijie#reload
Processed with reload? [no]y
```

sh ver




WEB




rgos.bin

startftp.exe TFTP



startftp




?


windows

startftp


WR



WR




sh ver




CRTL


console





> mgmt



startftp








COM





>

<http://ishare.iask.sina.com.cn/f/12091227.html?from=like>

ctrl

