


STAR2800-L3



XX	S2800-L3	PC200	Web,Ftp
3			IP 172.16.22.8~172.16.22.15;
.	255.255.255.248	IP 6	
172.16.22.9~172.16.22.14			

S2800-L3

1	S2800-L3	TAG VLAN	
2	VLAN	VLAN	UNTAG

```
3      VLAN                               Default VID
#PCIP00000000000000000000000000000000
5      Routing table(                      )
6                                             S2800-L3
                                             S2800-L3
```

```
1 S2800-L3
```

VLAN3

192.168.2.0/24

<i>(G)TAG VLAN</i>	<i>TAG VLAN Configurations</i>	<i>(N)</i>
<i>Tag VLAN</i>	<i>Tag VLAN (1 - 1023):</i>	<i>VLAN</i>
<i>1,2,3,4</i>	<i>VLAN ID(1- 3072):</i>	<i>VLAN ID,</i>
<i>100,200,300,400. VLAN ID</i>		<i>Default VID</i>
<i>VLAN ID ,</i>	<i>:</i>	
=====		

```

(F)          :
(-)         :
(S)         :
(M)         :
(N)         : 10MH-10MF-100MH-100MF-
(-) /      :
(V)   VID   : 1

```

```

=====
                                'TAB'          'Esc'
=====

```

```

(V)   VID,          Default VID          VLAN VID.          (I)
,          .          ESC          .[          Untag
,Default VID          VLAN.          TAG ,          TAG
,          TAG          .          TAG          DefaultVID ]

```

2

```

,          VLAN.          ,          VLAN
,          VLAN

```

```

(R)IP , IP , (S) : ,
. (N) , , (C) ,
(I-17);, ,S2800-L3 17
, . :

```

```

=====

```

```

(-)          : 6
(-)          : 00-D0-F8-F9-A9-23
(V) VLAN          0
(S)          :
(-)          :
(M)          :
(-) MTU          : 1500
(D) DHCP          :
(N)          :

```

```

=====

```

'Esc'

```

=====
:
(V) VLAN ,          VLAN (          VLAN ,          VLAN VID)
          VLAN          .          (N)          ;          IP
,          :X.X.X.I,          VLAN          .
:

```

```

Net Interface NO.1 VLAN NO.1 Network Address:192.168.0.1 255.255.255.0
Net Interface NO.2 VLAN NO.2 Network Address: 192.168.1.1 255.255.255.0
Net Interface NO.3 VLAN NO.3 Network Address: 192.168.2.1 255.255.255.0

```

3

, ESC IP ROUING :

=====
IP
=====

=====
(S) :
(P)RIP
(N)
(R)
(T)IP TTL :64
(A)ARP ():10
=====

=====
'Esc'
=====

:
(R) , ,