

RG-S5510E

copyright © 2022

7*24h

7*24h

4008-111-000

4008111000@ruijie.com.cn



doc@ruijie.com.cn



APP



1.





/

2.

1

RG-S5510E

QOS

RG-S5510E



RG-S5510E

	10/100/1000Base-T	1000Base-X SFP
--	-------------------	-------------------

	AC 100-240V~ 90-264V~ 50/60Hz 1.5A HVDC 192-290VDC 0.5A-0.24A
	2.5mA
	58W 42W
	0°C 50°C -40°C 70°C
	10% 90% RH 5% 90% RH
EMC	GB/T 9254.1-2021
	GB 4943.1-2011
× ×	440 × 260×44mm
	4.6Kg 3.6Kg

RG-S5510E

1-2 RG-S5510-24GT/8SFP-E




RPS150

RG-S5510-24GT/8SFP-E

10cm

3

1-4




			1000M Link Up
			1000M
			100M Link Up
			100M

Link


1000Mbps RJ-45

1-24



1		6	10/100/1000Base-T
2	1	7	
3	2	8	100/1000Base-X SFP
4	RPS	9	USB
5	Console		

1-7 RG-S5510-48GT/4SFP-E



1		4	RPS
2		5	1
3		6	2

RG-S5510-48GT/4SFP-E

AC

100-240V~

90-264V~

50/60Hz

2A

10A

HVDC

192-290VDC

0.7A-0.5A

			1000M
			100M Link Up
			100M
1000Mbps RJ-45	1-48		Link
			1000M Link Up
			1000M
			100/10M Link Up
			100/10M

1.3

RG-S5510E		M5000E-02SFP/GT	M5000E-01XS	M5000E-02XS		
M5000E-02SFP/GT	2	Combo		10/100/1000M	RJ45	5
UTP STP		100/1000Base-X				
M5000E-01XS	1	SFP Plus	10GBASE-SR/LR/LRM			
			RG-S5510E		1/3	SFP Plus
		XG-SFP-CU1M	XG-SFP-CU3M			
M5000E-02XS	2	SFP Plus	10GBASE-SR/LR/LRM			
			RG-S5510E		1/3	SFP Plus
		XG-SFP-CU1M	XG-SFP-CU3M			

M5000E-02SFP/GT	2	2 10/100/1000Base-T 2 Combo 1000Base-X SFP
M5000E-01XS	1	1 SFP Plus
M5000E-02XS	2	2 SFP Plus

1000Base-X SFP 10/100/1000Base-T

2

2.1


4

16

TN


RG-S5510E

2.4



3

3.1




3.2


3.3 RG-S5510E

10

3.3.1 19



3-3




3.3.2

RG-S5510E

90


3-4

3-4



3-7

3-7



3.4


4

4.1

PC

Console

4-1



DB-9

PC

RJ-45

Console

PC

PC

Windows3.1

Terminal

Windows 95/98/NT/2000/XP

9600

8



1

1)

" " " " " " " "


4-2

4-2




2) " " . 4-3

4-3



3) < > 4-4

4-4



4.2

5

5.1

5.2

	-	
status		

Status

© LRI 10

RJ45

100

A

1000BASE-T/100BASE-TX/10BASE-T

1000BASE-T/100BASE-TX/10BASE-T

MDI/MDIX Crossover

1000BASE-T	IEEE 802.3ab		100-ohm 5	5		UTP	STP
	STP	100	1000BASE-T		4		
4	1000BASE-T		A-1				
A-1	1000BASE-T						

Switch	Switch	Switch	Switch
1 TP0 +	1 TP0 +	1 TP0 +	1 TP0 +
2 TP0 -	2 TP0 -	2 TP0 -	2 TP0 -
3 TP0 +	5.68	483.67	241.97 1..267 24197 15.6 reW*

Switch	Switch	Switch	Switch
1 IRD +	1 OTD +	1 IRD +	OTD +
2 IRD -	2 OTD -	2 IRD -	OTD -
3 OTD +	3 IRD +	3 OTD +	3 IRD +
6 OTD -	6 IRD -	6 OTD -	3 IRD +

A 4

A 4

Switch	Switch
TX	TX
RX	RX

B Mini-GBIC

SFP

SFP
SFP

Mini-GBIC

B-1 SFP

Mini-GBIC SFP	nm	
---------------	----	--

C SFP Plus

SFP Plus SFP Plus

C-1 SFP Plus

						dbm		dbm	
	(nm)		um	MHz km					

62.5

XG-SFP-SR-MM850 850 (Lc)

