



User's Manual

©)' ' ' \$)' (6

| | | |
|------|-------|----|
| | | 1 |
| PH. | | î |
| P | | î |
| Q | | õ |
| Q | | õ |
| R | | ñ |
| R' | | ò |
| V | | ò |
| M | | ó |
| M | | ó |
| PR | | ø |
| Q | | ô |
| 44Q | | õ |
| R | | 10 |
| R | | 1í |
| Q | | 1í |
| AB | | 1í |
| S | | 1ï |
| R | | 1ñ |
| ECOP | | 16 |

I > \$ X'e) ' ' C

8I D : frk\o\$

(' /' G

D Xc\$+' ' >GL

I > \$ X'e) ' ' C

(



RG-RCD

RG-Rai



1 I > \$ X'e) ' ' C

(I > \$ X`e) ' ' C

| | | | |
|---|-----|---|--|
| | | | |
| (| | (| |
|) | ž ž | (| |
| * | | (| |
| + | | (| |
| , | | (| |
| - | | (| |

C

| | |
|--|----|
| | C |
| | 户端 |

■

■

LJ9(&LJ9) &LJ9*&LJ9

■

■

■

住此小孔中的按键，同时按下Power

恢复界面；

■

■

() M~~====~~*%, 8

I > \$ X'e)'' C

± I > \$ X'e)'' C (' Zd

± I > \$ X'e)'' C

' °: +' °:

\$(' °: , ' °: (' % 0' % , %
0, % +/ (,

± I > \$ X'e)'' C

3

| | |
|--|--|
| | |
| | |

RG-Rain200C

1. RG-Rain200C
- 2.
3. RG-Rain200C power

1.


2.

1.

2. 开

100-240VAC 50/60HZ

Power



-3.5° 15°

Gf n \r

(%

l : ; @

/

J A&K ((* - + \$) ' (+

n 4 iHàiD}Ä ÒÅmOÙÁªçn

| B ^df | Ä ÒÅ | | | | | |
|---------------|-------|----------|------------|-----------------|-----------------|--------------------|
| | gPb h | ?Ä g.M h | eŠ (g) J h | '_e> (g) Xg</ h | ÚÀì û 5 g 6B(h | ÚÀì 8 5b g 6B* + h |
| Ù Ó | Q | Q | Q | Q | Q | Q |
| @à³ªP I o, | x | Q | Q | Q | Q | Q |
| è á Á ^ ! | x | Q | Q | Q | Q | Q |
| › F ~ | x | Q | Q | Q | Q | Q |
| › ě N ě | x | Q | Q | Q | Q | Q |
| ˘ä O ~ | x | Q | Q | Q | Q | Q |

În %G90 : • Úòož
 QynP¥Ä ÒÅ"¥B^ñÄ®ÄÕ% mO®" GB : 26572


• 'O}LY ož
 ~ynP¥Ä ÒÅ 5"¥B^ î%²®ÄÕ% mOÝß
 GB : 26572 • 'O}Lož

hy

1 ÎnªPiHài Ä', [^ • î°ZD}U m ? Ò
 Äk ?Ä ÒÅ B^ œ¶ñ ĐGJJu'òò—c ë
 Ä ÒÅ ÁWkx ?'ÎU š5 ĐGJò •¾•ož

2 ÿG°Z cU ¶mÄY ñÄB^k-Y ŽÆ1Ñ° Õož

3 În B^ # †KÓ;KiHài Ä', [ož



4 * 0 4

D } ü g ö Ö y 7 0 2 * @