



copyright © 2024



<https://www.ruijie.com.cn>

<https://www.ruijie.com.cn/fw/>

<https://wind.ruijie.com.cn/>

7\*24h <https://ocs.ruijie.com.cn>

7\*24h 4008-111-000


— — <https://www.ruijie.com.cn/special/fw/tool/xryf/>

[4008111000@ruijie.com.cn](mailto:4008111000@ruijie.com.cn)

[doc@ruijie.com.cn](mailto:doc@ruijie.com.cn)

APP

1.





/

---

2.



# 1

RG-CPM2150-G2 21.5  
1920 x 1080@75Hz  
100mm VESA

HDMI VGA  
VDI/IDV/TCI

HDMI  
100mm x

1-1

- (1) / /
- (2) /

---

--	--	--

1-4

- (1)
- (2) **HDMI**          HDMI
- (3)                  VGA
- (4)
- (5)                  Kensington

### 1.3

	87.24%
	-3.5°±1.5° 21.5°±1.5°
	Kensington
	2.8kg
	4.1kg
	<b>RG-CPM2150-G2</b>
	1
	90V~240V AC 50Hz~60Hz
	1.5A
	C13 1.5m
	18W
	<b>RG-CPM2150-G2</b>

	1 VGA 1 HDMI 1
HDCP	
<b>RG-CPM2150-G2</b>	
	0°C 40°C -20°C 60°C 3000~5000 220 1
	10%RH~85%RH 10%RH~90%RH
	0m~5000m

# 2

## 2.1

RG-CPM2150-G2

RG-CPM2150-G2

10cm

## 2.3

RG-CPM2150-G2

RG-CPM2150-G2

# 3

## 3.1



RG-CPM2150-G2

3-4

### 3.3

(1) VGA HDMI


D-USB HDMI

VGA HDMI

(2)

(3)

3-6




### 3.4

-5° 23°

-5° 23°

3-7



4

100V~240V

# 5

SJ/T11364-2006\*

5-1

